An Analysis of User Perception Regarding Body-Worn 360° Camera Placements and Heights for Telepresence

Kevin P. Pfeil University of Central Florida kevin.pfeil@knights.ucf.edu Pamela J. Wisniewski University of Central Florida pamwis@ucf.edu Joseph J. LaViola Jr. University of Central Florida jjl@cs.ucf.edu

ABSTRACT

Our work investigates body-worn 360° camera placements for telepresence, to balance height and clarity of view. We conducted a user study in a Virtual Reality (VR) simulation, using a 3x3 withinsubjects experimental design varying placement and height, with 26 participants. We found that shoulder mounted cameras were significantly less preferable than our other conditions due to the occlusions caused by the wearer's head. Our results did not show a significant effect of camera height within a range of +/- 12 inches from the user's natural height. As such, in the context of bodyworn 360° cameras, there is leeway for camera height, whereas strategic bodily placements are more important. Based on these results, we provide design recommendations for content creators using wearable cameras for immersive telepresence.

CCS CONCEPTS

 \bullet Human-centered computing \rightarrow User studies; Empirical studies in HCI.

KEYWORDS

360 Camera, Panoramic Camera, Telepresence

ACM Reference Format:

Kevin P. Pfeil, Pamela J. Wisniewski, and Joseph J. LaViola Jr.. 2019. An Analysis of User Perception Regarding Body-Worn 360° Camera Placements and Heights for Telepresence. In *ACM Symposium on Applied Perception* 2019 (SAP '19), September 19–20, 2019, Barcelona, Spain. ACM, New York, NY, USA, 10 pages. https://doi.org/10.1145/3343036.3343120

1 INTRODUCTION

Live-streamed video is an increasingly popular content medium. In 2015, Periscope hit a 10 million account milestone [Team 2015], and in 2017, Twitch.tv saw 2 million monthly broadcasters [Twitch 2017]. 360° video streaming is a new technology that is envisioned as the "next big thing" [Bajarin 2015; Graham 2016]. Viewers often watch these panoramic videos via social media and streaming websites [Stout 2018], but there is an opportunity to create an immersive telepresence experience by sharing live-streamed content to users of Virtual Reality (VR) head-mounted displays (HMD). There are a number of use cases where this might be useful. For instance, a

SAP '19, September 19-20, 2019, Barcelona, Spain

© 2019 Association for Computing Machinery.

ACM ISBN 978-1-4503-6890-2/19/09...\$15.00

https://doi.org/10.1145/3343036.3343120

geographically distributed family could reconnect with their elderly [Wu et al. 2017]. A person suffering from social anxieties could remotely explore the world with their friends [Rivera et al. 2015]. A bed-bound patient could enjoy a day sight-seeing with their loved ones [Mosadeghi et al. 2016].

We expect this kind of telepresence to become commonplace, enabling people from around the globe to connect like never before. The HCI community has begun to issue recommendations and best practices regarding panoramic video, but there is still work to be done, particularly to optimize viewpoints. In this paper, we aim to identify how various body-worn camera placements and heights affect user experience. While the community has developed an array of prototypes, we are the first to specifically compare and contrast viewer experience among exemplar camera placements. Therefore, our research questions for this work include the following:

- RQ1: What is the optimal body-worn camera placement for reducing visual occlusions created by the video streamer?
- RQ2: What is the optimal body-worn camera height, in relation to the viewer's own height?
- RQ3: What is the best combination of body-worn camera placement and height to enhance a video viewer's overall experience?

To help answer these questions, we conducted a 3x3 withinsubjects experiment with 26 participants in a VR simulation, varying the factors of *Camera Placement* and *Camera Height*. Our main dependent variable was user response regarding satisfaction with the experience. Overall, we found a significant main effect of Camera Placement, such that the video viewers disliked the 360° camera worn on the shoulder, since occlusion due to the surrogate's head was prevalent. However, we also uncovered an interesting effect where camera placement affected perception of view height. When the camera was placed over the head of the surrogate, even if the height was actually shorter than normal, the participants still felt like the view was tall. Our paper contributes the following:

- A novel user study examining the impact of camera Placement and Height on a user's viewing experience of bodyworn 360° video using an HMD
- An understanding of how vantage points and environmental stimuli affect user perception of camera height
- Design recommendations for content creators, system designers, and camera accessory developers who will prototype future body-worn telepresence experiences

2 RELATED WORK

In this section, we provide a review of relevant literature at the intersection of wearable panoramic video content streaming for

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than ACM must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from permissions@acm.org.



Figure 1: Placements for wearable 360° cameras each have pros and cons. Not only does the overall view vary, but the resulting height changes as well. In this paper, we analyze user preference of three placements - shoulder-mounted, over the head, and on the chest - as well as three relative heights for each - natural, 12in shorter, and 12in taller - for a 3x3 within-subjects study.

telepresence. We also provide an overview of existing works around camera placement and height.

2.1 Wearable Camera Placements

There has been much work in the HCI community to try out different bodily camera placements, for telepresence or live-streaming. Companies like GoPro sell a variety of mounts and straps to support multiple placements, including backpack-based poles, head and helmet mounts, chest and shoulder straps, hand and wrist straps, and more [GOP 2019; BHA 2019]. Many recent telepresence projects used placements such as on the shoulder [Kashiwabara et al. 2012; Kimber et al. 2014; Saraiji et al. 2018; Tsumaki et al. 2012], the chest [Baishya and Neustaedter 2017; Ishak et al. 2016], the abdomen [Tobita 2017], the crown of the head [Kasahara et al. 2017; Kasahara and Rekimoto 2014, 2015; Lee et al. 2017a,b], over the head (via a pole) [Tang et al. 2017], in a backpack behind the Streamer [Alohali et al. 2016], and even on the Streamer's face [Misawa and Rekimoto 2015a,b].

Every bodily camera placement has benefits and drawbacks. Cameras worn on the chest, abdomen, or shoulder are not affected by the streamer's head turns, but the field of view is reduced. Cameras worn on the head allow for a less occluded view, but as the camera and head are coupled, the viewer can be affected by head movements. To combat this, it is possible to implement image stabilization, [Kasahara et al. 2017; Kopf 2016], but this can introduce latency. An overhead vantage point via backpack, mounting pole, and gimbal stabilizer could provide stabilization without latency work, but that means the streamer would need to wear additional gear.

In our study, we analyze perception towards a selection of camera placements that are representative of prior literature - Overhead, Chest, and Shoulder. To our knowledge, we are the first to provide a comparison of user perception on multiple viewpoints. While we don't expect to find a "one-size-fits-all" solution, we do aim at identifying what types of camera placements are more preferable than others.

2.2 Panoramic Camera Videography

 360° cameras are still in their infancy and are on the way to becoming more affordable. As such, there is a lack of definitive guidelines to help panoramic content creators optimize their shots. That said, some general 360° camera tips have emerged, but they do not completely converge. Many seem geared towards taking static, stationary clips. Regarding height, some tips inform creators to place the camera "eye-level with your subject" [Stark 2017], or "at chest-level" [Lavigne 2016], or at "person-height" [Price 2017b]. As far as distance from the subject is concerned, various resources suggest keeping the camera at a balanced distance [Ergürel 2016; Facebook 2016; Price 2017a; Samsung 2016; Sarconi 2017].

Telepresence with body-worn cameras cannot completely subscribe to these tips, because there will often be more than one subject in the scene, the surrogate will often walk around, and the camera viewpoint is coupled with the height of the streamer. For instance, a 6'0" streamer placing the camera over their head would introduce an even taller view. To accommodate a more natural height for a shorter viewer, that surrogate could place the camera on the shoulder; but then that would affect how much of the environment can be seen (see Figure 1). With these issues in mind, our study analyzes the importance of these factors to help determine what viewers prefer.

2.3 View Height in VR and Telepresence

There has been research to help understand how humans estimate heights and distances in VR. Mohler et al. [2006] found that people are more adept at judging distances in the real world, but to help alleviate this, virtual avatars can provide a frame of reference for more accurate distance judgments [Mohler et al. 2010]. Leyrer et al. [2011] found that varying viewpoint heights for a given scene can affect distance judgment as well, as is also implied by Kuhl et al. [2009]. Banakou et al. [2013] studied this effect when participants were given a child avatar body. In our work, we measure how adept our users are at judging heights, but we additionally aim at understanding how various levels of camera height affect the overall user experience. A recent study suggested putting the camera at a constant height of 4'11" (150cm), but was not in the context of bodyworn telepresence [Keskinen et al. 2019]. In a robotic telepresence setting, it is possible to move the camera up and down [Matsuda and Rekimoto 2016], but this is not as feasible when the camera is worn on a person's body, without changing other variables. As such, we expect that camera height and bodily camera placement must be balanced to provide optimal user experience. Our work helps to identify how to achieve this balance.

An Analysis of User Perception Regarding Body-Worn 360° Camera Placements...

SAP '19, September 19-20, 2019, Barcelona, Spain

3 METHODS

3.1 Study Design

We designed a 3x3 within-subjects study varying *Camera Placement* and *Camera Height*. We used a simulated virtual environment (VE) for our study. VEs have been used in research for a variety of reasons, including to provide a controlled study space, reduce external and potentially confounding variables, and maintain study feasibility, with little sacrifice to realism [Beidel et al. 2017; Duncan and Murphy 2017; Ragan et al. 2009]. The use of a VE for our study allowed us to maintain variable constancy, such as the surrogate walking gait, level of action, camera steadiness, latency, networking hiccups, etc.

Camera Placement had 3 levels representative of prior literature and common action camera placements - over the head ("Overhead") [Tang et al. 2017], on the chest near the shirt pocket ("Pocket") [Baishya and Neustaedter 2017; Ishak et al. 2016], and on the shoulder ("Shoulder") [Kashiwabara et al. 2012; Kimber et al. 2014; Saraiji et al. 2018; Tsumaki et al. 2012]. For each of our conditions, there are different ways of achieving similar levels of occlusion while being able to manipulate height. For instance, in the Overhead conditions, the surrogate's body occludes the bottom part of the view; similar views are commonly achieved using a hand-held selfie stick or telescopic pole. In the Pocket conditions, the surrogate's body blocks the back portion of the view; similar views can be achieved by placing the camera near the abdomen [Tobita 2017] or by using a neck-worn camera (e.g. those used by law enforcement officers). In the Shoulder conditions, the surrogate's body blocks a piece of the bottom part of the view, and the head blocks the view opposite of the mounted shoulder. The view can be manipulated by including actuators to adjust the camera with 6 degrees of freedom [Kimber et al. 2014; Matsuda and Rekimoto 2016].

Camera Height had 3 levels we felt would give us a good range of exploration - the participants' natural eye height ("Normal"), their eye height plus 12 inches ("Taller"), and their eye height minus 12 inches ("Shorter"). We chose 12 inches because the difference between an average male and average female in the United States is 6 inches, and two standard deviations of height is 6 inches [Fryar et al. 2016]. Thus, a 12 inch step covers likely ground. We also acknowledge that live streaming is becoming increasingly popular, even at the extremities of average adult human height. For instance, consider the National Basketball Association's VR app [NBA 2019]. Currently, the app enables viewers to watch live games with a VR HMD, from the view of a static, court-side camera. It seems plausible that the NBA would, in the future, live-stream feeds worn by the players, whose average height in the 2018-2019 season was 6'7" with a standard deviation of 3.3 inches [RealGM 2019]. Additionally, while we do not advocate for minors to wear cameras, we acknowledge that this is a plausible scenario [Everson et al. 2019; Kelly et al. 2012], especially as life-logging tools are becoming more readily available. As such, our height conditions represent a wide range of plausible use cases.

These levels totaled 9 conditions, which were randomized and counter-balanced in a Latin Square design. Our study received IRB approval, and we obtained informed consent from participants before they participated in our study.



Figure 2: Sample snapshot of the environment. Stimuli were distributed and organized in various placements.

3.2 Research Hypotheses

We expect viewers to desire a camera height that matches their own height, but in practice this is not always feasible. Average adult height varies significantly between men and women, and between people from different countries [Cavelaars et al. 2000; Frankenberg and Jones 2004; Fryar et al. 2016; Li et al. 2009; Venkaiah et al. 2002]. To compensate for a difference in height, the streamer could move the camera to a different part of the body; but, this may result in an unnatural or occluded view. We would expect an optimal experience to have a natural viewing height while also affording the clearest viewpoint possible. We thus conducted our study considering these factors, hypothesizing the following:

- H1: We expect a main effect of camera placement such that users will prefer an unoccluded view.
- H2: We expect a main effect of camera height such that users will prefer a viewing angle similar to their natural height.

3.3 Subjects

A priori power analysis using G*Power indicated that we needed a minimum of 22 users to detect a medium effect size [Faul et al. 2007]. We recruited 26 participants for our study from the student body of the University of Central Florida. 21 were male and 5 were female. Their age ranged from 18 to 29 (M = 20.8; SD = 2.74). We measured participant height; the range was 4'9" / 1.44m to 6'3" / 1.91m (M = 5'9" / 1.75m; SD = 4.21in / 10.7cm). All participants had normal vision, or they wore corrective lenses during the study. We asked participants how often they watch 360° videos, and the Median response was "Rarely." Similarly, the Median response for how often they use VR was "Rarely."

3.4 Apparatus

We created our virtual environment using the 2017.3.0f3 version of Unity3D. We ran the study on a laptop with Windows 10, Intel core i7-7700HQ at 2.8GHz, with 12GB of RAM, with an Nvidia GeForce GTX 1060. The HTC Vive HMD was used to run the scenario.

Kevin P. Pfeil, Pamela J. Wisniewski, and Joseph J. LaViola Jr.

3.5 Virtual Environment

We retooled a VE [Shade 2018] to create a virtual art museum (see Figure 2). A museum tour is a plausible example use case, and we were influenced by Tang et al. [2017], who performed a real-life task in which participants needed to search for art during a virtual tour. Our room was rectangular with a dividing wall through the middle, lengthwise. On the walls were famous paintings. The very center of each painting was approximately 5'10" / 1.8m off the floor. Between paintings, there were pedestals that held sculptures. The sculptures rested approximately 2'3" / .7m off the floor. On the floor, ornate rugs were laid out. Scattered in the room were digital human museum-goers who stayed in-place.

For each stimulus type, we proposed a "real" and a "counterfeit" (see Procedure). We tried to balance subtlety with objectivity for the counterfeits, such that the participants would need to inspect the objects yet be able to recognize that something has changed. For the paintings, we performed a web search with the phrase "famous paintings" and selected a subset. To find the counterfeits, we performed a web search for each one, including the word "parody." We were able to pair every real painting with a parody. For instance, we used Starry Night, and the counterfeit featured Darth Vader [Gilbert 2018]. For the sculptures, we first defined a list of objects that typically have one size in the real world, in hopes of giving visual cues for perceiving camera height. For the counterfeits, we used properties of association. For instance, we used a soccer ball, and the counterfeit was a basketball. For the carpets, we performed a web search for "ornate rugs," and found various patterns. For the counterfeits, we inverted the color scheme but maintained the patterns.

The stimuli were mapped symmetrically. There was a box-shaped path that the virtual surrogate walked, and both sides of the path were as equal as possible in terms of stimuli count and placement. One side of the museum had a door, and the opposite side had a large painting. All paintings and sculptures were scaled to life-size. In total, there were 15 famous paintings, 12 sculptures, 6 rugs, and 4 museum-goers. To simulate common visual artifacts of live-stream cameras, we constructed a virtual Camera Rig that consisted of six 90° cameras, each using the following Unity3D post-processing techniques and values:

- Antialiasing (Fast Approximate Anti-Aliasing)
- Ambient Occlusion (Intensity = 1; Radius = 0.3; Sample Count = Medium; Downsampling Enabled)
- Motion Blur (Shutter Angle = 270; Sample Count = 10; Frame Blending = 0)
- **Grain** (Intensity = 0.5; Luminance Contribution = 0.8; Size = 0.7; Colored Enabled)

We mapped the output of the camera rig to the Unity3D Skybox. This, combined with the post-processing techniques, resulted in the "stitching" artifact that can be found in multi-lens cameras. The virtual surrogate was the "Ethan" model that is found in Unity3D's tutorials, modified to have a constant walking speed regardless of model size. For our study, we assume camera stabilization, i.e. the streamer's walking gait had no effect on the camera, except for when the model turned 90 degrees on the path.

3.6 Procedure

Recruited participants first reviewed an informed consent form. We did not collect signatures. Users were seated in a chair inside of the HTC Vive play area; the play area was scaled down, so participant head translations did not have an effect on the viewing experience. Next, we gave a demographics survey, noting the height of our participant, and subtracting the difference between their eyes and the top of their head (approx. 5in). Following, we described the study to our users. We explained that the objective was to explore the museum by inspecting all paintings, sculptures, and rugs. To ensure the user adequately and intently explored the museum each time, we randomly replaced one of the paintings, sculptures, and rugs with a counterfeit - the user's task, therefore, was to identify these counterfeits every condition. To prevent a learning effect, the counterfeit objects and their locations were randomized every run. Before the user entered VR, we first showed them a simple website with pictures of the correct stimuli, allowing as much time as needed for them to become familiar. Following, we ran the user through a practice trial, in which the camera floated in air (there was no surrogate). The length of this practice run - and each trial was approximately 2.5 minutes.

The user was then run in the first condition with the surrogate visible. We did not tell the user which condition was being run. During the task, we hand-recorded the user's audible feedback. After the run was complete, the user filled out a questionnaire. We then told the user how tall the camera was, to untangle confusion which could affect our final survey. We then loaded the next condition and repeated these steps. After all conditions were completed, we gave the user one final questionnaire, to rank all conditions. The time to complete the study was approximately 50 minutes, and participants were given 10USD in cash.

3.7 Dependent Variables

We administered a questionnaire after each condition to measure if the user thought the view was *Free from Occlusions* and if it had a *Natural Height*. The measures consisted of the following items, on a 7-point Likert scale (1 = strongly disagree, 7 = strongly agree):

- Questions regarding Free-from-Occlusions (FfO):
 - The camera placement allowed me to see everything I needed to see
 - Nothing blocked my view to the point where I became disoriented
 - My field of view was clear, so I could perform the task
- Questions regarding Natural Height (NH):
 - The height of the camera felt natural to me
 - The camera height let me view the environment with easeI liked the height of the camera placement
- All things considered, please give a score to that camera placement (1 = Terrible, 7 = Excellent)

After each condition, we also asked *"Was the view shorter, taller, or equal to your natural height?"* Users were also asked to explain what they liked or disliked about each condition. After all conditions were complete, the user was asked to rank all of the conditions from best to worst. They were also asked to tell us the rationale for why they selected the best and worst conditions.

Placement Height		Free-from-Occlusions	Natural Height	Overall Rating
Overhead	Taller	M = 5.923, SD = 1.356	M = 5.551, SD = 1.447	M = 5.846, SD = 1.084
	Natural	M = 6.103, SD = 1.014	M = 5.821, SD = 1.246	M = 6.000, SD = 0.849
	Shorter	M = 5.949, SD = 1.183	M = 5.154, SD = 1.620	M = 5.269, SD = 1.430
Pocket	Taller	M = 6.000, SD = 1.227	M = 5.564, SD = 1.456	M = 5.654, SD = 1.294
	Natural	M = 6.205, SD = 1.333	M = 6.308, SD = 0.958	M = 6.269, SD = 0.919
	Shorter	M = 6.013, SD = 1.222	M = 5.231, SD = 1.494	M = 5.385, SD = 1.235
Shoulder	Taller	M = 3.397, SD = 1.854	M = 4.551, SD = 1.649	M = 3.731, SD = 1.185
	Natural	M = 3.000, SD = 1.683	M = 4.538, SD = 1.633	M = 3.385, SD = 1.359
	Shorter	M = 3.244, SD = 1.692	M = 4.321, SD = 1.640	M = 3.423, SD = 1.419

Table 1: Descriptive Statistics of All Conditions by Dependent Variable

Table 2: Repeated Measure ANOVA Results

Construct	ANOVA Result					
Main Effect of Camera Placement						
FfO	$F(2,50) = 71.50, p < .001, \eta_p^2 = .741$					
NH	$F(2,50) = 16.58, p < .001, \eta_p^2 = .399$					
Overall	$F(2,50) = 58.96, p < .001, \eta_p^2 = .702$					
Main Effect of Camera Height						
FfO	$F(2,50) = 0.531, p = .591, \eta_p^2 = .021$					
NH	$F(2, 50) = 5.946, p < .005, \eta_p^2 = .192$					
Overall	$F(2,50) = 2.707, p = .077, \eta_p^2 = .098$					
Interaction Effect of Camera Height * Camera Placement						
FfO	$F(4, 100) = 1.808, p = .133, \eta_p^2 = .067$					
NH	$F(4, 100) = 1.182, p = .324, n_p^2 = .045$					



 $F(4, 100) = 1.438, p = .227, \eta_p^2$

= .054

Figure 3: Average Overall Rating by Condition. The Shoulder placement was rated poorly, and in general, participants more preferred the Natural Height conditions.

3.8 Data Analysis Approach

In order to assess the construct validity of the dependent variables, we first tested for internal consistency by calculating Cronbach's alpha [Cronbach 1951]. FfO and NH were both above the 0.7 threshold for reliability (*FfO*: α = .889; *NH*: α = .824). Thus, we averaged the values together to form an index per construct, per condition. As a single-item measure, we did not assess Overall Rating for construct validity. Since the DVs were not normally distributed, we used non-parametric tests to test our hypotheses. We anticipated a possible interaction effect between camera placement and height, so we chose to use the Aligned Rank Transform (ART) tool [Wobbrock et al. 2011], so that we could run a repeated measures ANOVA. For our post-hoc tests, we controlled Type I errors by performing Holm's Sequential Bonferroni Adjustment [Holm 1979]. For qualitative feedback, we used an open coding process to identify emerging themes. We present illustrative quotes to help unpack some of the nuance around the experimental results of our study.

4 RESULTS

We first present the descriptive characteristics of our data, followed by the results of our hypothesis testing, and a summary of our findings.

4.1 Descriptive Statistics

The descriptive statistics of our DVs can be found in Table 1. The following sections describe the results of repeated measures ANOVAs, as shown in Table 2.

4.2 ANOVA Results

4.2.1 H1: Main Effect of Camera Placement. An ANOVA revealed a significant effect of Camera Placement on each of our dependent variables; see Table 2. Post-hoc t-tests revealed significant differences (see Table 3); for the *FfO* construct, there were differences between Overhead and Shoulder, as well as Shoulder and Pocket. Most of our participants indicated that the Shoulder placement was annoying, frustrating, or generally negative because the surrogate's head blocked the right side. See Figure 4.

We also found a significant main effect of Camera Placement on *NH.* Post-hoc t-tests again revealed differences between Overhead

Overall

Construct	Condition A	М	SD	Condition B	M	SD	Result			
Effect of Camera Placement										
Free-from-Occlusions	Overhead	5.991	1.190	Shoulder	3.214	1.745	t(25) = 11.35, p < .001			
Free-from-Occlusions	Pocket	6.073	1.260	Shoulder	3.214	1.745	t(25) = 10.13, p < .001			
Natural Height	Overhead	5.509	0.941	Shoulder	4.808	0.951	t(25) = 2.995, p < .001			
Natural Height	Pocket	5.701	0.761	Shoulder	4.808	0.951	t(25) = 5.125, p < .001			
Overall	Overhead	5.705	0.881	Shoulder	3.513	1.076	t(25) = 8.833, p < .001			
Overall	Pocket	5.769	0.873	Shoulder	3.513	1.076	t(25) = 9.730, p < .001			
Effect of Camera Height										
Natural Height	Natural	5.556	1.502	Shorter	4.902	1.632	t(25) = 3.004, p < .05			
Natural Height	Taller	5.560	1.447	Shorter	4.902	1.632	t(25) = 2.756, p < .05			

Table 3: Significant Post-hoc T-Test Results by Main Effect



Figure 4: Free-from-Occlusions (FfO) Index Rating with 95% confidence, by camera placement. The camera being worn on the shoulder resulted in a significant portion of the scene being occluded, detracting from user perception.



Figure 5: Natural Height (NH) Index Rating with 95% confidence, by camera height. Participants naturally indicated Medium and Taller heights as their favorites. and Shoulder, as well as Shoulder and Pocket. We would not expect this, as the varying levels of height were consistent between all camera placements. Due to this unanticipated finding, we later present a post hoc analysis of how participants' perception of height varied based on camera placement; see Figure 5.

We also found a significant main effect of Camera Placement on *Overall Rating*. Post-hoc t-tests again revealed differences between Overhead and Shoulder, as well as Shoulder and Pocket. This result compounds with the previous t-tests; occluding the entire right side (effectively 90° of the entire viewpoint) detracted from the overall experience.

4.2.2 H2: Main Effect of Camera Height. An ANOVA revealed a significant main effect on the *NH* construct, but not on *FfO* or on *Overall Rating*. Post-hoc t-tests reveal significant differences between Natural and Shorter heights, as well as Taller and Shorter heights; see Table 3. Expectedly, participants found their natural height to be favorable, but unexpectedly, they were unfazed by the taller placement. They did, however, find the shorter camera heights to be less natural. See Figure 5 for illustration.

4.2.3 Interaction Effect of Camera Placement * Camera Height. An ANOVA did not reveal a significant interaction effect between Camera Placement and Camera Height; see Table 2.

4.3 Perception of Camera Height

Due to the significant main effect of Camera Placement on the *NH* construct we conducted a post hoc analysis to help understand why this result emerged. Using our qualitative feedback, we found an interesting result regarding how tall each condition made the participants feel; see Figure 6. During the Overhead conditions, participants often believed the viewpoints were taller than what they actually were, simply because the surrogate's head was seen underneath them. If we treat the results of this question as a pass/fail item, then only 54% Overhead, 71% Pocket, and 51% Shoulder heights were correctly perceived. Considering our VE, there are only a handful of items with which users could really infer height - paintings, sculptures / pedestals, museum-goers, and the surrogate. The Overhead and Shoulder placements naturally forced the users to see the avatar's head either below or at eye-level, respectively; but



Figure 6: Perceived Camera Height by Placement. Participants were in-tune with height while using the Pocket placement, but for the Overhead conditions, participants often felt taller regardless of height.



Figure 7: Average Rank by condition with 95% confidence. The Overhead and Pocket placements were well regarded compared to the Shoulder placement. In general, users most preferred the camera to be at their natural viewing height.

for the Pocket placement, the users had to go out of their way to see anything other than the avatar's legs. Supporting evidence can be found in comments. For the Overhead placement, some participants felt taller simply because there was a head beneath them:

- "I feel taller because I see the dude's head below."
- "The viewing angle was a bit high, looking down on everything."
- "I feel like the overall view is lower, but because the avatar is under me, I still feel tall."
- (As part of positive feedback for the Shorter condition) "Im tall so the farther off the ground I am the more comfortable"

For the Pocket placement, the participants indicated that the camera wearer did not affect them, and they really only needed to look forward and to their sides, rarely commenting on anything past their immediate view:

- "I didn't do it, but if I looked back, I would've seen the avatar."
- "The model rarely got in the way of my view..."

SAP '19, September 19-20, 2019, Barcelona, Spain

- "This was a great, unobscured view of almost everything."
 "Nothing from the avatar impeded my vision..."
- "I barely noticed the avatar."
- "The front pocket gives a very clear view of everything in the front."

Based on this user feedback, it is clear that the virtual streamer was a visual cue that participants used to infer height.

4.4 Feedback from Participants

Next, we analyzed the questionnaire item regarding subjective height perception, and we coded the open response questions in order to determine which placements were regarded positively and negatively, and why.

4.4.1 *Ranking Data.* Looking at the Ranking data (Figure 7), we find that Shoulder was indeed the worst position of the three; Overhead and Pocket were very positive and comparable. For all placements, we find that the Natural height was viewed as best, followed by a Taller height. This feedback compounds with the quantitative results. Out of all twenty-six (26) users, none of them ranked the Shoulder best, and twenty (20) thought it to be the absolute worst. See Figure 7 for illustration.

There were a number of themes that emerged regarding factors that influenced user satisfaction. A majority of the participants (65%) indicated that a field of view which was free from occlusions was the main benefit of their favorite condition. Forty-two percent (42%) indicated that their favorite placement felt natural to them. Only nine (9) participants responded that height was a major detriment in their least preferred condition. Interestingly, six (6) participants responded that visual features of the virtual avatar was a major drawback:

- "I didn't like his head being so close to me."
- "...I felt uncomfortable with the head bouncing."
- "...I felt like the avatar was bouncing too much."
- "The avatar's head was extremely distracting."
- "It feels a little odd with someone's head right under my chin..."

In the end, however, occlusion (or lack thereof) is the main contributor to the success of the camera placements.

4.4.2 Virtual Presence and Viewpoint Metaphors. While we often found that our participants simply did not want to see the avatar, some of the users did provide us with interesting feedback, revealing comments that indicate they gained some sense of immersion or presence in the virtual environment. Others provided colorful metaphors within their negative comments for the various camera placements:

- Overhead:
 - "It felt like I was riding a horse."
 - "...it was like piggy-backing on someone's back."
- Pocket:
 - "It let me view my feet and legs easily..."
 - "Finally know what its like to be tall..."
 - "Made me feel like I was actually walking through."
 - "I felt like I was being held like a baby."
 - "This is what its like being in my girlfriend's body."

• Shoulder:

- "You can see the characters face, and have kinda like a first/third person view."
- "I was able to view paintings as if I were really there..."
- "...I don't like being on someones shoulder."
- "I felt like a Siamese twin [sic]."

5 DISCUSSION

5.1 The Clearer the View, the Better

Our results indicate a strong disdain for camera placements which block a significant portion of the front hemisphere. The Shoulder only had approximately 90° of the environment blocked, and the Pocket had 180° blocked; but the right side was more important to our users than the back. Our users were able to complete inspection before the avatar walked past stimuli, plus they were seated for the entirety of the study (so it was difficult to turn their head around). We would expect our finding to hold true in cases where important stimuli enter the view from the front. For complex environments where stimuli moves or appears from behind, we would anticipate a placement similar to Overhead being most desirable, to provide the most opportunity for exploration. For instance, the multi-lens camera setup in Kasahara et al. seems to meet user needs [Kasahara et al. 2017; Kasahara and Rekimoto 2014, 2015]. While our users did not like the Shoulder camera placement, interestingly, prior researchers did find a similar rig to be well-received [Kimber et al. 2014; Kratz et al. 2015, 2014]; they implemented a gimbal device which can be directly manipulated by the viewer via a GUI system, so perhaps it was this sense of control that helped users perceive it positively [Kimber et al. 2014].

5.2 Users Don't Want to See the (Virtual) Streamer

Our participants often pointed out that the virtual streamer had strange, unattractive, or undesirable traits, or simply didn't want to see the model bouncing around while walking. We acknowledge the Ethan model looks somewhat strange, and this could have made the participants perceive the avatar negatively. But, user comments also indicated that camera placement affected overall perception. The Pocket offered the most unoccluded view, and users had to go out of the way to see the avatar's features; but even in these conditions we found users pointing to negative features of the avatar. This shows that our participants, for our task and in our environment, did not want the avatar to appear in their view; as such, our study cannot answer to a setup where the streamer is someone that the user knows, e.g. a friend, family member, or celebrity streamer. We would expect users to perceive camera placements more positively if a loved one was in the view [Kimber et al. 2014], but users could still communicate with each other regardless [Baishya and Neustaedter 2017; Ishak et al. 2016].

5.3 Placement Matters More than Height

Based on these results, it seems that camera height may not be a driving factor for success; while the Shorter height was the least natural to our users, it didn't seem to detract from the experience as much as camera placement. This is contradictory to previous research, which suggests that lower camera heights are more acceptable to higher heights [Rothe et al. 2018]. We suspect that there are external variables not identified here which cause a difference in height preference; for instance, culture may be such a variable. We acknowledge that our study only analyzed 3 relative heights, but +/-12in covers a large range. If we inspected an even wider range, we would begin including positions alongside the extremities of adult human height. Our results corroborate with previous findings: our participants had trouble identifying the "correct" camera height, which is expected - humans do not excel at judging VR heights and distances [Asjad et al. 2018; Geuss et al. 2010; Leyrer et al. 2011; Mohler et al. 2006]. Telepresence between taller and shorter individuals may not be harmed by the disparity in user heights. A drastic difference may result in a drop in user satisfaction, but our results imply that it would need to be severe.

5.4 Different Placements Give Different Sense of Story

User feedback indicated varying experiences through the metaphors they provided in their comments. It is important to convey a sense of presence to the user as that allows them to feel as if they were "actually there" [Bowman et al. 2004; Heeter 1992; Schuemie et al. 2001], which is one of the goals for telepresence. Metaphors have been used to help describe telepresence setups, such as the user assuming the role of a parrot sitting on the shoulder [Kimber et al. 2014], or a ghost watching the world from another person's view [Kasahara and Rekimoto 2014], or even borrowing another person's body [Misawa and Rekimoto 2015b]; but our users sometimes felt like they were taking a ride on an animal or being carried around like a child. We find that the Pocket placement helped conveyed a sense of active exploration because the users felt like they were the avatar, due to the character being behind the camera, whereas the Overhead and Shoulder conditions conveyed a sense of passive exploration because the users felt like they were watching the avatar from a third-person viewpoint.

Content streamers have opportunity to give two different types of experiences, simply by wearing the camera in different spots one where the viewer is the "star of the show," and one where the viewer watches the events transpire. In a case where the streamer and viewer are strangers, we would recommend a placement similar to Pocket. When the streamers know each other and want to have a communicative experience, an Overhead or even a Shoulder placement could suffice, as the viewer can then clearly see non-verbal social cues such as upper body gestures or facial features.

6 LIMITATIONS AND FUTURE WORK

While we believe our virtual environment consisted of a good number of stimuli via the paintings and sculptures, the carpets were not too interesting, and the counterfeits were easy to spot. While carpets make sense for a museum environment, more complex stimuli such as sidewalk chalk art could be better suited for an inspection task, and therefore may have revealed a difference in preference between Overhead and Pocket. We are confident, however, with our results being representative for environments with much stimuli that is "eye-level." We also acknowledge that our virtual environment may be perceived differently than a "real-life" setup. In the An Analysis of User Perception Regarding Body-Worn 360° Camera Placements...

future, we plan on taking learned outcomes from this study and applying them to a variety of real-world scenarios. For instance, 360° videos are commonly employed for action sports such as skiing and skateboarding, but our test case was a milder indoor exploration task. While our results cannot generalize to all types of telepresence interaction, we plan on using the lessons learned here and analyzing the effects of different walking gaits, speeds, and levels of activity, as well as analyzing how these qualities are perceived by participants. Further, while our users found the Shoulder placement negative here, it may be a good placement when the surrogate is a friend or family member, so the viewer could see their face. Our study did not contain an aspect of verbal communication, but we plan on taking the current findings and applying them to a real-world task, e.g. a dyadic exploration of a remote environment between friends. We also plan on studying different environments and scenarios in which streamers have begun to explore, to analyze how viewers perceive varying levels of action.

7 CONCLUSION

Telepresence is the culmination of recent technological breakthroughs that we expect to become commonplace in the near future. Our novel investigation contributed a study that revealed how users of similar systems perceive various body-worn 360° camera placements, and we found that there are both positive and negative qualities which can be adjusted for optimal usage. We recommend, if possible, that shorter streamers use an Overhead camera placement, and taller streamers use a Pocket-esque placement, to comfortably accommodate their audience. Our results indicate that this kind of interaction can be used between people of varying heights, in a variety of different cultures, communities, and environments. It is our hope that our investigation will lead streamers onto a path which will provide the best possible experience for their viewers.

ACKNOWLEDGMENTS

This work is supported in part by NSF Award IIS-1638060, Lockheed Martin, Office of Naval Research Award ONRBAA15001, and Army RDECOM Award W911QX13C0052. We also thank the anonymous reviewers for their insightful feedback. Special thanks to Christy LaPerriere for her graphical design of our Figure 1.

REFERENCES

- 2019. GoPro Camera Accessories. Retrieved April 23, 2019 from http://shop.gopro. com/mounts-accessories
- 2019. Wearable & On-Body Mounts. Retrieved April 23, 2019 from https://www. bhphotovideo.com/c/buy/body-mounts/ci/26980/N/3673516282
- Albara Alohali, Kai Kunze, and Robert Earle. 2016. Run with me: designing storytelling tools for runners. In Proceedings of the 2016 ACM International Joint Conference on Pervasive and Ubiquitous Computing: Adjunct. ACM, 5–8.
- Noorin Suhaila Asjad, Haley Adams, Richard Paris, and Bobby Bodenheimer. 2018. Perception of height in virtual reality: a study of climbing stairs. In Proceedings of the 15th ACM Symposium on Applied Perception. ACM, 4.
- Uddipana Baishya and Carman Neustaedter. 2017. In Your Eyes: Anytime, Anywhere Video and Audio Streaming for Couples. In Proceedings of the 2017 ACM Conference on Computer Supported Cooperative Work and Social Computing. ACM, 84–97.
- Tim Bajarin. 2015. Are 360-Degree Cameras the Next Big Thing in Video? Retrieved September 19, 2018 from https://www.pcmag.com/article2/0,2817,2492098,00.asp
- Domna Banakou, Raphaela Groten, and Mel Slater. 2013. Illusory ownership of a virtual child body causes overestimation of object sizes and implicit attitude changes. *Proceedings of the National Academy of Sciences* 110, 31 (2013), 12846–12851.
- Deborah C Beidel, B Christopher Frueh, Sandra M Neer, Clint A Bowers, Benjamin Trachik, Thomas W Uhde, and Anouk Grubaugh. 2017. Trauma management

therapy with virtual-reality augmented exposure therapy for combat-related PTSD: A randomized controlled trial. *Journal of anxiety disorders* (2017).

- Doug Bowman, Ernst Kruijff, Joseph J LaViola Jr, and Ivan P Poupyrev. 2004. 3D User interfaces: theory and practice, CourseSmart eTextbook. Addison-Wesley.
- AEJM Cavelaars, AE Kunst, JJM Geurts, R Crialesi, L Grötvedt, U Helmert, Eero Lahelma, Olle Lundberg, Andreas Mielck, N Kr Rasmussen, et al. 2000. Persistent variations in average height between countries and between socio-economic groups: an overview of 10 European countries. Annals of human biology 27, 4 (2000), 407– 421.
- Lee J Cronbach. 1951. Coefficient alpha and the internal structure of tests. psychometrika 16, 3 (1951), 297–334.
- Brittany A Duncan and Robin R Murphy. 2017. Effects of Speed, Cyclicity, and Dimensionality on Distancing, Time, and Preference in Human-Aerial Vehicle Interactions. ACM Transactions on Interactive Intelligent Systems (TiiS) 7, 3 (2017), 13.
- Deniz Ergürel. 2016. 6 tips for learning how to shoot 360ř videos. Retrieved March 3, 2018 from https://ijnet.org/en/blog/6-tips-learning-how-shoot-360-videos
- Bethan Everson, Kelly A Mackintosh, Melitta A McNarry, Charlotte Todd, and Gareth Stratton. 2019. Can Wearable Cameras Be Used to Validate School-Aged ChildrenŠs Lifestyle Behaviours? Children 6, 2 (2019), 20.
- Facebook. 2016. Better Practices for 360. Retrieved September 6, 2018 from https: //www.facebook.com/facebookmedia/blog/better-practices-for-360
- Franz Faul, Edgar Erdfelder, Albert-Georg Lang, and Axel Buchner. 2007. G* Power 3: A flexible statistical power analysis program for the social, behavioral, and biomedical sciences. Behavior research methods 39, 2 (2007), 175–191.
- Elizabeth Frankenberg and Nathan R Jones. 2004. Self-rated health and mortality: does the relationship extend to a low income setting? *Journal of health and social behavior* 45, 4 (2004), 441–452.
- Cheryl D Fryar, Qiuping Gu, Cynthia L Ogden, and Katherine M Flegal. 2016. Anthropometric reference data for children and adults; United States, 2011-2014. (2016).
- Michael Geuss, Jeanine Stefanucci, Sarah Creem-Regehr, and William B Thompson. 2010. Can I pass?: using affordances to measure perceived size in virtual environments. In Proceedings of the 7th Symposium on Applied Perception in Graphics and Visualization. ACM, 61–64.
- Knoll Gilbert. 2018. Retrieved May 15, 2019 from https://www.etsy.com/listing/ 520519597/darth-vader-death-starry-night-vincent
- Jefferson Graham. 2016. Why 360 video is the next big thing in tech. Retrieved September 19, 2018 from https://www.usatoday.com/story/tech/2016/01/08/ why-360-video-next-big-thing-tech/78499508/
- Carrie Heeter. 1992. Being there: The subjective experience of presence. Presence: Teleoperators & Virtual Environments 1, 2 (1992), 262–271.
- Sture Holm. 1979. A simple sequentially rejective multiple test procedure. Scandinavian journal of statistics (1979), 65–70.
- Clarissa Ishak, Carman Neustaedter, Dan Hawkins, Jason Procyk, and Michael Massimi. 2016. Human proxies for remote university classroom attendance. In Proceedings of the 2016 CHI Conference on Human Factors in Computing Systems. ACM, 931–943.
- Shunichi Kasahara, Shohei Nagai, and Jun Rekimoto. 2017. Jackin head: Immersive visual telepresence system with omnidirectional wearable camera. *IEEE transactions* on visualization and computer graphics 23, 3 (2017), 1222–1234.
- Shunichi Kasahara and Jun Rekimoto. 2014. JackIn: integrating first-person view with out-of-body vision generation for human-human augmentation. In Proceedings of the 5th Augmented Human International Conference. ACM, 46.
- Shunichi Kasahara and Jun Rekimoto. 2015. Jackin head: An immersive human-human telepresence system. In SIGGRAPH Asia 2015 Emerging Technologies. ACM, 14.
- Tadakazu Kashiwabara, Hirotaka Osawa, Kazuhiko Shinozawa, and Michita Imai. 2012. TEROOS: a wearable avatar to enhance joint activities. In Proceedings of the SIGCHI Conference on Human Factors in Computing Systems. ACM, 2001–2004.
- Paul Kelly, Aiden R Doherty, Alex Hamilton, Anne Matthews, Alan M Batterham, Michael Nelson, Charlie Foster, and Gill Cowburn. 2012. Evaluating the feasibility of measuring travel to school using a wearable camera. *American journal of preventive medicine* 43, 5 (2012), 546–550.
- Tuuli Keskinen, Ville Mäkelä, Pekka Kallioniemi, Jaakko Hakulinen, Jussi Karhu, Kimmo Ronkainen, John Mäkelä, and Markku Turunen. 2019. The Effect of Camera Height, Actor Behavior, and Viewer Position on the User Experience of 360 Videos. In 2019 IEEE Conference on Virtual Reality and 3D User Interfaces (VR). IEEE.
- Don Kimber, Patrick Proppe, Sven Kratz, Jim Vaughan, Bee Liew, Don Severns, and Weiqing Su. 2014. Polly: Telepresence from a GuideŠs Shoulder. In European Conference on Computer Vision. Springer, 509–523.
- Johannes Kopf. 2016. 360 video stabilization. ACM Transactions on Graphics (TOG) 35, 6 (2016), 195.
- Sven Kratz, Daniel Avrahami, Don Kimber, Jim Vaughan, Patrick Proppe, and Don Severns. 2015. Polly Wanna Show You: Examining Viewpoint-Conveyance Techniques for a Shoulder-Worn Telepresence System. In Proceedings of the 17th International Conference on Human-Computer Interaction with Mobile Devices and Services Adjunct. ACM, 567–575.
- Sven Kratz, Don Kimber, Weiqing Su, Gwen Gordon, and Don Severns. 2014. Polly: Being there through the parrot and a guide. In Proceedings of the 16th international conference on Human-computer interaction with mobile devices & services. ACM,

Kevin P. Pfeil, Pamela J. Wisniewski, and Joseph J. LaViola Jr.

625-630

- Scott A Kuhl, William B Thompson, and Sarah H Creem-Regehr. 2009. HMD calibration and its effects on distance judgments. ACM Transactions on Applied Perception (TAP) 6, 3 (2009), 19.
- Chris Lavigne. 2016. 360 Video Production Tactics: What WeŠve Learned So Far. Retrieved March 3, 2018 from https://wistia.com/learn/production/ 360-video-shooting-techniques
- Gun A Lee, Theophilus Teo, Seungwon Kim, and Mark Billinghurst. 2017a. Mixed reality collaboration through sharing a live panorama. In SIGGRAPH Asia 2017 Mobile Graphics & Interactive Applications. ACM, 14.
- Gun A Lee, Theophilus Teo, Seungwon Kim, and Mark Billinghurst. 2017b. Sharedsphere: MR collaboration through shared live panorama. In SIGGRAPH Asia 2017 Emerging Technologies. ACM, 12.
- Markus Leyrer, Sally A Linkenauger, Heinrich H Bülthoff, Uwe Kloos, and Betty Mohler. 2011. The influence of eye height and avatars on egocentric distance estimates in immersive virtual environments. In Proceedings of the ACM SIGGRAPH Symposium on Applied Perception in Graphics and Visualization. ACM, 67–74.
- Hui Li, CY Ji, XN Zong, and YQ Zhang. 2009. Height and weight standardized growth charts for Chinese children and adolescents aged 0 to 18 years. Zhonghua er ke za zhi= Chinese journal of pediatrics 47, 7 (2009), 487–492.
- Akira Matsuda and Jun Rekimoto. 2016. Scalablebody: A telepresence robot supporting socially acceptable interactions and human augmentation through vertical actuation. In Proceedings of the 29th Annual Symposium on User Interface Software and Technology. ACM, 103–105.
- Kana Misawa and Jun Rekimoto. 2015a. Chameleonmask: Embodied physical and social telepresence using human surrogates. In Proceedings of the 33rd Annual ACM Conference Extended Abstracts on Human Factors in Computing Systems. ACM, 401–411.
- Kana Misawa and Jun Rekimoto. 2015b. Wearing another's personality: a humansurrogate system with a telepresence face. In Proceedings of the 2015 ACM International Symposium on Wearable Computers. ACM, 125–132.
- Betty J Mohler, Sarah H Creem-Regehr, and William B Thompson. 2006. The influence of feedback on egocentric distance judgments in real and virtual environments. In Proceedings of the 3rd symposium on Applied perception in graphics and visualization. ACM, 9–14.
- Betty J Mohler, Sarah H Creem-Regehr, William B Thompson, and Heinrich H Bülthoff. 2010. The effect of viewing a self-avatar on distance judgments in an HMD-based virtual environment. Presence: Teleoperators and Virtual Environments 19, 3 (2010), 230–242.
- Sasan Mosadeghi, Mark William Reid, Bibiana Martinez, Bradley Todd Rosen, and Brennan Mason Ross Spiegel. 2016. Feasibility of an immersive virtual reality intervention for hospitalized patients: an observational cohort study. *JMIR mental health* 3, 2 (2016).
- NBA. 2019. NBA VR and MR. Retrieved May 7, 2019 from https://www.nba.com/xr Emily Price. 2017a. 10 Samsung Gear 360 Tips and Tricks. Retrieved March 3, 2018 from https://www.lifewire.com/tips-for-samsung-gear-360-4121408
- Emily Price. 2017b. How to Shoot Amazing Pictures with a 360-Degree Camera. Retrieved March 3, 2018 from https://lifehacker.com/ how-to-shoot-amazing-pictures-with-a-360-degree-camera-1795928246
- Eric Ragan, Curtis Wilkes, Doug A Bowman, and Tobias Hollerer. 2009. Simulation of augmented reality systems in purely virtual environments. In 2009 IEEE Virtual Reality Conference. IEEE, 287–288.
- RealGM. 2019. NBA Players. Retrieved May 7, 2019 from https://basketball.realgm. com/nba/players
- Rosa M Baños Rivera, Cristina Botella Arbona, Azucena García-Palacios, Soledad Quero Castellano, and Juana Bretón López. 2015. Treating emotional problems with virtual and augmented reality. *The handbook of the psychology of communication technology* 32 (2015), 548.
- Sylvia Rothe, Boris Kegeles, Mathias Allary, and Heinrich Hußmann. 2018. The impact of camera height in cinematic virtual reality. In Proceedings of the 24th ACM Symposium on Virtual Reality Software and Technology. ACM, 124.
- Samsung. 2016. How to film the best 360ř videos? Retrieved March 3, 2018 from https: //www.samsung.com/ae/discover/how-to/how-to-film-the-best-360-videos/
- MHD Saraiji, Tomoya Sasaki, Reo Matsumura, Kouta Minamizawa, and Masahiko Inami. 2018. Fusion: full body surrogacy for collaborative communication. In ACM SIGGRAPH 2018 Emerging Technologies. ACM, 7.
- Paul Sarconi. 2017. How to Shoot a 360 Video. Retrieved March 3, 2018 from https://www.wired.com/2017/02/shoot-360-video/
- Martijn J Schuemie, Peter Van Der Straaten, Merel Krijn, and Charles APG Van Der Mast. 2001. Research on presence in virtual reality: A survey. *CyberPsychology* & Behavior 4, 2 (2001), 183–201.
- Nova Shade. 2018. Retrieved May 15, 2019 from https://assetstore.unity.com/packages/ 3d/environments/showroom-environment-73740
- Jamie Stark. 2017. 12 tips for shooting and editing 360-degree video for journalism. Retrieved March 3, 2018 from https://medium.com/@StanfordJournalism/ 12-tips-for-shooting-and-editing-360-degree-video-for-journalism-4972cf50b77d

- Dustin Stout. 2018. Social Media Statistics 2018: What You Need to Know. Retrieved September 10, 2018 from https://dustn.tv/social-media-statistics/
- Anthony Tang, Omid Fakourfar, Carman Neustaedter, and Scott Bateman. 2017. Collaboration with 360ř Videochat: Challenges and Opportunities. In Proceedings of the 2017 Conference on Designing Interactive Systems. ACM, 1327–1339.
- Periscope Team. 2015. Periscope, by the Numbers. Retrieved September 10, 2018 from https://medium.com/periscope/periscope-by-the-numbers-6b23dc6a1704
- Hiroaki Tobita. 2017. Gutsy-Avatar: Computational Assimilation for Advanced Communication and Collaboration. In *Robotic Computing (IRC), IEEE International Conference on*. IEEE, 8–13.
- Yuichi Tsumaki, Fumiaki Ono, and Taisuke Tsukuda. 2012. The 20-DOF miniature humanoid MH-2: A wearable communication system. In *Robotics and Automation* (ICRA), 2012 IEEE International Conference on. IEEE, 3930–3935.
- Twitch. 2017. 2017 Year in Review. Retrieved September 10, 2018 from https: //www.twitch.tv/year/2017/factsheet.jpg
- K Venkaiah, K Damayanti, MU Nayak, and K Vijayaraghavan. 2002. Diet and nutritional status of rural adolescents in India. *European journal of clinical nutrition* 56, 11 (2002), 1119.
- Jacob O Wobbrock, Leah Findlater, Darren Gergle, and James J Higgins. 2011. The aligned rank transform for nonparametric factorial analyses using only anova procedures. In Proceedings of the SIGCHI conference on human factors in computing systems. ACM, 143–146.
- Xian Wu, Rebecca Thomas, Emma Drobina, Tracy Mitzner, and Jenay Beer. 2017. An Evaluation of a Telepresence Robot: User Testing among Older Adults with Mobility Impairment. In Proceedings of the Companion of the 2017 ACM/IEEE International Conference on Human-Robot Interaction. ACM, 325–326.